

Dynamic Stock Market Linkages and Market Efficiency: A Non-Bayesian Time-Varying Model Approach*

Mikio Ito[†] and Akihiko Noda[‡]

Abstract

In this paper, we develop a non-Bayesian methodology to analyze the time-varying structure of international linkages and market efficiency in stock markets. We consider a non-Bayesian time-varying vector autoregressive (TV-VAR) model, and apply it to obtain the time-varying generalized impulse responses (TV-GIRs) between the U.S. and Japanese stock markets. Our empirical results based on the TV-GIRs provide a new perspective that the stock market linkages and market efficiency in the semi-strong sense change over time. We conclude that their behaviors correspond well to historical events of the international financial system.

JEL classification numbers: C22; G14; G15

Keywords: Non-Bayesian Time-Varying VAR Model; Time-Varying Generalized Impulse Responses; Stock Market Linkages; Market Efficiency; Propagation of Market Fluctuations

1 Introduction

There is much literature on international stock market linkage in 1990s and early 2000s. The literature on the topic can be categorized into two approaches. The first approach employs a vector autoregressive (VAR) model (see, for example, Eun and Shim (1989),

*We would like to thank Kenjiro Hirayama, Jun Ma, Junya Masuda, Tatsuma Wada, Toshiaki Watanabe, Wako Watanabe, Tomoyoshi Yabu and seminar participants at Chukyo University Institute of Economics as well as the conference participants at the 2012 Japanese Economics Association Autumn Meeting in Kyushu Sangyo University for their helpful comments and suggestions. We would also like to thank the financial assistance provided by the Japan Society for the Promotion of Science Grant in Aid for Scientific Research No.24530364 and the Keio Gijuku Academic Development Funds. All data and programs used for this paper are available on request.

[†]Faculty of Economics, Keio University, 2-15-45 Mita, Minato-ku, Tokyo, 108-8345, Japan (E-mail: ito@econ.keio.ac.jp)

[‡]Corresponding Author: Faculty of Economics, Wakayama University, 930 Sakaedani, Wakayama 640-8510, Japan; Keio Economic Observatory, Keio University, 2-15-45 Mita, Minato-ku, Tokyo 108-8345, Japan (E-mail: noda@eco.wakayama-u.ac.jp; noda@sanken.keio.ac.jp).

Jeon and Von Furstenberg (1990), Mathur and Subrahmanyam (1990), Choudhry (1994), and Tsutsui and Hirayama (2004)). These studies are concerned about the existence of international linkage of stock prices, especially about the short-run relationships among stock price indices. The second approach employs a vector error correction (VEC) model and makes cointegration tests to examine a long-run equilibrium relationship among the returns of stocks (see, for example, Jeon and Chiang (1991), Chan et al. (1992), Kasa (1992), Lai et al. (1993), Corhay et al. (1993), Blackman et al. (1994), Chung and Liu (1994), and Choudhry (1994, 1997)). Some of them study both short-run and long-run relations by investigating cointegration first and then estimating a VEC model. They concerns a cointegration found to exist as a long-run equilibrium. Furthermore, some studies of the second group examine variance decomposition and impulse response functions. They have common interest in dynamic relationships of international stock market with ours in a sense.

The preceding studies concerning linkage of stock markets employ a VAR model, conventional VAR one, structural VAR one or VEC one. They essentially suppose that parameters in the models are invariant over time. In other words, there supposed to be no structural change over the periods of their observation. This supposition is inappropriate when we consider that our contemporary financial system usually confronts with large or small perturbations, which sometimes cause very big structural changes such as the recent bankruptcy of Lehman Brothers. Whatever model is adopted, they lead to a flaw if one consider the coefficients of the VAR model as time-invariant within the observations. Such a model deals with the time-varying structure of international stock market linkage at most by taking subsamples or by adopting a rolling method. It cannot avoid arbitrary choice of the size of subsamples and of the width of rolling window. Although several studies using VEC models and taking cointegration approach regard dynamic aspect of stock market linkages, they also fail to avoid the flaw. That is, their results are sensitive to the number of observations and the lag order of which VAR model is chosen.

In this paper, we develop new methodologies to analyze time-varying structure of international linkages and market efficiency in stock markets as practice for an univariate data in Ito and Noda (2012). We consider a non-Bayesian time-varying VAR (TV-VAR) model, and apply it to obtain time-varying generalized impulse response (TV-GIR) function between the U.S. and Japanese stock markets. In contrast to the approaches of the preceding studies, our TV-VAR approach enable us to avoid their arbitrariness. We can shed new light on the international stock price linkages form the view point of dynamic change of international stock market. In particular, we focus on the degree of market efficiency and propagation of market fluctuations in the semi-strong sense by using TV-GIR function and long-run multipliers. Our empirical results provide a new perspective that the stock market linkages and market efficiency in the semi-strong sense change over time. We conclude that their behaviors correspond well to historical events of the international financial system.

This paper is organized as follows. Section 2 presents the model and new methodologies for our non-Bayesian TV-VAR model. Section 3 describes the data used. Section 4 shows the empirical results that the stock market linkage and market efficiency in the semi-strong sense change over time and that their behaviors correspond well to historical events of the international financial system. Section 5 is allocated to concluding remarks.

2 Model and Methodology

This section shows our model and methodologies to elucidate the time-varying structure of international linkage and market efficiency of stock markets. Some preceding studies concerning the subject have employed VAR models portioning whole sample into several subsamples or rolling subsamples with fixed window width. In place of such an approach, we develop a new method. We first examine whether the VAR estimates change over time or not by using Hansen's (1992) parameter constancy test. When the null of Hansen's (1992) parameter constancy test is rejected, we employ a non-Bayesian TV-VAR model as the alternative of Hansen's test assuming that the coefficients follow a random walk. Then, we estimate our TV-VAR model as a state space model by regarding it as a huge linear regression model. Considering the state space model such as patchwork of locally stationary models, we can analyze the the dynamic stock market linkage for period by period as well as market efficiency. In particular, the TV-VAR coefficients estimated allow us to obtain TV-GIR functions and long-run multipliers as will be explained in the following part. Last part of this section shows how to make statistical inference on time-varying linkage of stock markets.

2.1 Stock Market Linkages and VAR Models

Here we explain why we adopt a simple VAR model to analyze the stock market linkage. Let $\mathbf{y}_t$ denotes k -dimensional vector representing the rate of return of k stocks at t . Preceding studies use VAR models to analyze linkage of stock markets, say VAR(p) model, for convenience of explanation:

$$\mathbf{y}_t = \boldsymbol{\nu} + A_1\mathbf{y}_{t-1} + \cdots + A_p\mathbf{y}_{t-p} + \mathbf{u}_t, \quad t = 1, 2, \cdots, \quad (1)$$

where $\boldsymbol{\nu}$ is a intercept term and $\mathbf{u}_t$ disturbance term at t , which is supposed to be independently identically distributed.

Given the information set $\mathcal{I}_{t-1}$ available at $t-1$, adapted to the equation (1), the following equation holds since $\mathcal{I}_{t-1}$ is the σ -field generated from $\mathbf{y}_{t-1}, \mathbf{y}_{t-2}, \cdots$ and $\mathbf{u}_{t-1}, \mathbf{u}_{t-2}, \cdots$.

$$\mathbf{y}_t - E[\mathbf{y}_t | \mathcal{I}_{t-1}] = \mathbf{u}_t, \quad t = 1, 2, \cdots,$$

since The equation above asserts that the excess returns of stocks at a certain period is "determined by accident" if the time series of stock returns follows such a stochastic process. This interpretation is closely related to the efficient market hypothesis (EMH) in the semi-strong form as well as predictability (see Fama (1970)). We are quite interested in the time series of the excess returns of stocks.

A convenient way to analyze it is expressing it as a moving average of past innovations, $\mathbf{u}_t$'s. Under a certain invertible condition, we can convert the equation (1) to vector moving average form:

$$\mathbf{y}_t = \boldsymbol{\mu} + \Phi_0\mathbf{u}_t + \Phi_1\mathbf{u}_{t-1} + \Phi_2\mathbf{u}_{t-2}, \quad t = 1, 2, \cdots,$$

where $\Phi_0 = I_k$. When regarding the sequence $\{\Phi_i\}_{i=0}^{\infty}$ as a function from t to $k \times k$ matrix Φ_t , one usually call the sequence the impulse response function. Once the VAR

coefficients are estimated from data, we can make some inferences such as the impulse response analysis and the Granger causality test to analyze the time series of the excess returns of stocks.

For our purpose, analysis of time-varying structure of linkage of stock markets, we provide some new procedures and methods: a parameter constancy test for VAR model, estimation of TV-VAR model, computing TV-GIR functions, measuring long-run multipliers of TV-VAR. In the following subsections, we show the new procedures and methods making links to traditional procedures.

2.2 Parameter Constancy Test for VAR Model

There are some parameter constancy tests, for example Andrews (1993) and Nyblom (1989). Hansen (1992) develops a parameter constancy test for linear and non linear models. The test is made under the null and alternative hypotheses: (H_0) the parameters are constant over time and (H_1) they follow a martingale process. In practice, we reformulate the equation (1) to extend Hansen's test for a VAR(p) model.

Define the ($k \times T$) data matrix as

$$Y := (\mathbf{y}_1, \mathbf{y}_2, \dots, \mathbf{y}_T),$$

where T is the number of time series observations. To reformulate the VAR(p) model with a intercept term into a regression formula, we introduce the following auxiliary vector and matrix:

$$Z_t := \begin{pmatrix} 1 \\ \mathbf{y}_t \\ \vdots \\ \mathbf{y}_{t-p} \end{pmatrix},$$

and

$$Z := (Z_0, Z_1, \dots, Z_{T-1}).$$

Note that Z_0 is regarded as a prior of estimation. Defining the ($k \times kT$) disturbance matrix as

$$U := (\mathbf{u}_1, \mathbf{u}_2, \dots, \mathbf{u}_T),$$

we obtain a matrix form of the equation (1):

$$Y = BZ + U,$$

where a $k \times (1 + kp)$ matrix B is $[\boldsymbol{\nu}, A_1, \dots, A_p]$. Using the *vec* operator, which transforms a ($k \times T$) matrix into an (kT) vector by stacking the columns, we have the following regression form of the equation (1):

$$\text{vec}(Y) = (Z' \otimes I_k) \text{vec}(B) + \text{vec}(U), \quad (2)$$

where $\otimes$ is the Kronecker product and I_k denotes k identity matrix. In case $k = 2$ and $p = 1$, the equation (2) is specifically exhibited as

$$\begin{pmatrix} y_{11} \\ y_{21} \\ y_{12} \\ y_{22} \\ \vdots \\ y_{1T} \\ y_{2T} \end{pmatrix} = \begin{pmatrix} 1 & 0 & y_{10} & 0 & y_{20} & 0 \\ 0 & 1 & 0 & y_{10} & 0 & y_{20} \\ 1 & 0 & y_{11} & 0 & y_{21} & 0 \\ 0 & 1 & 0 & y_{11} & 0 & y_{21} \\ \vdots & \vdots & \vdots & \vdots & \vdots & \vdots \\ 1 & 0 & y_{1,T-1} & 0 & y_{2,T-1} & 0 \\ 0 & 1 & 0 & y_{1,T-1} & 0 & y_{2,T-1} \end{pmatrix} \begin{pmatrix} \nu_1 \\ \nu_2 \\ \alpha_{11} \\ \alpha_{21} \\ \alpha_{12} \\ \alpha_{22} \end{pmatrix} + \begin{pmatrix} u_{11} \\ u_{21} \\ u_{12} \\ u_{22} \\ \vdots \\ u_{1T} \\ u_{2T} \end{pmatrix}.$$

In order to extend the procedure of Hansen (1992), we rewrite the equation (2) as

$$\mathbf{y} = X\boldsymbol{\beta} + \mathbf{u},$$

where $\mathbf{y} = \text{vec}(Y)$, $X = Z' \otimes I_k$ and $\mathbf{u} = \text{vec}(U)$. Given $\mathbf{y}$, we obtain the OLS estimate $\hat{\boldsymbol{\beta}} = (X'X)^{-1}X'\mathbf{y}$ and the estimate of the covariance matrix $\hat{\Sigma}_u$ as UU'/T or $UU'/(T - kp - 1)$ (see Lütkepohl (2005, ch.3) for details).

Furthermore, to extend Hansen's (1992) procedure to our system, let us organize the above equation as follows:

$$\mathbf{y}_t = X_t\boldsymbol{\beta} + \mathbf{u}_t, \quad t = 1, 2, \dots, T. \quad (3)$$

For simplicity, we consider an OLS estimation of the equation (3) with the i.i.d. assumption, $E[\mathbf{u}_t\mathbf{u}_t'] = \Sigma_u, t = 1, 2, \dots$. The OLS estimates $\hat{\boldsymbol{\beta}}$ as well as $\hat{\Sigma}_u$ should hold the following equations.

$$\mathbf{0} = \sum_{\tau=1}^T X_\tau' \mathbf{e}_\tau$$

and

$$\mathbf{0} = \sum_{\tau=1}^T (\text{vech}(\mathbf{e}_\tau \mathbf{e}_\tau') - \text{vech}(\hat{\Sigma}_u)),$$

where $\mathbf{e}_t = \mathbf{y}_t - X_t\hat{\boldsymbol{\beta}}$ and the vech operator is closely related to vec , which only stacks the elements on and below the main diagonal of a symmetric matrix. To construct Hansen's test statistic for a simultaneous linear equation system, define $(k(1 + kp) + k(k + 1)/2)$ vector,

$$f_\tau(\hat{\boldsymbol{\beta}}, \hat{\Sigma}_u) = \begin{bmatrix} \text{vec}(X_\tau' \mathbf{e}_\tau) \\ \text{vech}(\mathbf{e}_\tau \mathbf{e}_\tau') - \text{vech}(\hat{\Sigma}_u) \end{bmatrix}, \quad \tau = 1, 2, \dots, T.$$

Let $f_{i\tau}$ denotes i -th component of $f_\tau(\hat{\boldsymbol{\beta}}, \hat{\Sigma}_u)$, $S_s = \sum_{\tau=1}^s f_\tau$ and $S_{is} = \sum_{\tau=1}^s f_{i\tau}$ for $i = 1, 2, \dots, k(1 + kp) + k(k + 1)/2$, $s = 1, 2, \dots, T$. Note that we abbreviate $\hat{\boldsymbol{\beta}}, \hat{\Sigma}_u$ when there is no confusion. Hansen's (1992) individual statistics of parameter constancy are

$$L_i = \frac{1}{TV_i} \sum_{\tau=1}^T S_{is}^2, \quad i = 1, 2, \dots, (k(1 + kp) + k(k + 1)/2),$$

where $V_i = \sum_{\tau=1}^T f_{i\tau}^2$. His joint statistic is defined:

$$L_c = \frac{1}{T} \sum_{\tau=1}^T S'_\tau V^{-1} S_\tau,$$

where $V = \sum_{\tau=1}^T f_\tau f'_\tau$. These test statistics follow singular distributions represented by the Brownian motions and bridges. See Hansen (1990) for the tables of the statistics.

2.3 Non-Bayesian Time-Varying VAR Model

If the parameter constancy test exhibits instability of VAR coefficients over time, we choose an alternative model that holds the alternative hypothesis on the parameter dynamics and then estimate the model. Focusing our attention on linkage of stock markets which is supposed to vary over time, we suppose that only VAR coefficients vary over time while any components of the intercept term are invariant. In what follows, we present how to estimate the non-Bayesian TV-VAR model. Our approach has several good points in comparison with the Bayesian one (see, for example, Cogley and Sargent (2001, 2005) and Primiceri (2005)).

We start by setting VAR coefficients varying over time for an ordinary VAR(p) model as follows:

$$\mathbf{y}_t = \boldsymbol{\nu} + A_{1,t}\mathbf{y}_{t-1} + \cdots + A_{p,t}\mathbf{y}_{t-p} + \mathbf{u}_t, \quad t = 1, 2, \dots, T.$$

This equation can be represented as follows:

$$\mathbf{y}_t = \boldsymbol{\nu} + A_t \mathbf{Z}_{t-1} + \mathbf{u}_t, \quad t = 1, 2, \dots, T, \quad (4)$$

where

$$A_t = [A_{1,t} \cdots A_{p,t}] \text{ and } \mathbf{Z}_{t-1} = \begin{bmatrix} \mathbf{y}_{t-1} \\ \vdots \\ \mathbf{y}_{t-p} \end{bmatrix}.$$

The equation (4) corresponds to an observation equation when we regard our TV-VAR model as a state space model. As to the corresponding state equation, let us assume the following random walk process:

$$A_{i,t} = A_{i,t-1} + V_{i,t}, \quad i = 1, 2, \dots, p \text{ and } t = 1, 2, \dots, T,$$

where each $V_{i,t}$ is a $k \times k$ matrix of random variables, say, following normal distributions. Let V_t denote $[V_{1,t} \cdots V_{p,t}]$ Or equivalently

$$\text{vec}(A_t) = \text{vec}(A_{t-1}) + \mathbf{v}_t, \quad t = 1, 2, \dots, T, \quad (5)$$

where each $\mathbf{v}_t$ is a $k^2 p$ -vector of random variables, $\text{vec}(V_t) = \text{vec}([V_{1,t} \cdots V_{p,t}])$.

In place of the Kalman smoothing, we estimate $\boldsymbol{\nu}, A_1, \dots, A_T$ by considering together the equations (4) and (5) as a simultaneous system of linear equations. The equation (4)

turns to be

$$\mathbf{y} = \begin{pmatrix} \mathbf{y}_1 \\ \mathbf{y}_2 \\ \vdots \\ \mathbf{y}_T \end{pmatrix} = \begin{pmatrix} I_k & Z'_0 \otimes I_k & & & \mathbf{0} \\ I_k & & Z'_1 \otimes I_k & & \\ \vdots & & & \ddots & \\ I_k & \mathbf{0} & & & Z'_{T-1} \otimes I_k \end{pmatrix} \begin{pmatrix} \boldsymbol{\nu} \\ \text{vec}(A_1) \\ \text{vec}(A_2) \\ \vdots \\ \text{vec}(A_T) \end{pmatrix} + \begin{pmatrix} \mathbf{u}_1 \\ \mathbf{u}_2 \\ \vdots \\ \mathbf{u}_T \end{pmatrix}.$$

This is equivalent to the following equation.

$$\mathbf{y} = [\mathbf{1} \otimes I_k \quad \text{diag}(Z'_0 \otimes I_k, Z'_1 \otimes I_k, \dots, Z'_{T-1} \otimes I_k)] \text{vec}([\boldsymbol{\nu}, A_1, A_2, \dots, A_{T-1}]) + \text{vec}(U), \quad (6)$$

where $\mathbf{1} = (1 \ 1 \ \dots \ 1)' \in \mathbf{R}^T$. On the other hand, the state equation can be represented as:

$$\begin{pmatrix} -\text{vec}(A_0) \\ \mathbf{0} \\ \vdots \\ \mathbf{0} \end{pmatrix} = \begin{pmatrix} \mathbf{0} & -I_{k^2p} & & & \\ \mathbf{0} & I_{k^2p} & -I_{k^2p} & & \\ \vdots & & \ddots & \ddots & \\ \mathbf{0} & & & I_{k^2p} & -I_{k^2p} \end{pmatrix} \begin{pmatrix} \boldsymbol{\nu} \\ \text{vec}(A_1) \\ \text{vec}(A_2) \\ \vdots \\ \text{vec}(A_T) \end{pmatrix} + \begin{pmatrix} \mathbf{v}_1 \\ \mathbf{v}_2 \\ \vdots \\ \mathbf{v}_T \end{pmatrix},$$

where $\text{vec}(A_0)$ is a prior vector of VAR coefficients, of whichever level we set do not influence our results except starting burn-in periods.

Considering the following linear system, we estimate the coefficients of our time-varying VAR by using OLS.

$$\begin{bmatrix} \mathbf{y} \\ \boldsymbol{\gamma} \end{bmatrix} = \begin{bmatrix} D \\ W \end{bmatrix} \boldsymbol{\beta} + \boldsymbol{\varepsilon},$$

where $D = [\mathbf{1} \otimes I_k \mid \text{diag}(Z'_0 \otimes I_k, Z'_1 \otimes I_k, \dots, Z'_{T-1} \otimes I_k)]$,

$$\boldsymbol{\gamma} = \begin{bmatrix} -\text{vec}(A_0) \\ \mathbf{0} \\ \vdots \\ \mathbf{0} \end{bmatrix},$$

$$W = \begin{pmatrix} \mathbf{0} & -I_{k^2p} & & & \\ \mathbf{0} & I_{k^2p} & -I_{k^2p} & & \\ \vdots & & \ddots & \ddots & \\ \mathbf{0} & & & I_{k^2p} & -I_{k^2p} \end{pmatrix},$$

$$\boldsymbol{\beta} = \text{vec}([\boldsymbol{\nu}, \text{vec}(A_1), \dots, \text{vec}(A_T)])$$

and

$$\boldsymbol{\varepsilon} = \begin{bmatrix} \mathbf{u} \\ \mathbf{v} \end{bmatrix}.$$

The OLS estimate is:

$$\hat{\beta} = \left(\begin{bmatrix} D \\ W \end{bmatrix}' \begin{bmatrix} D \\ W \end{bmatrix} \right)^{-1} \begin{bmatrix} D \\ W \end{bmatrix}' \begin{bmatrix} y \\ \gamma \end{bmatrix}.$$

As Ito and Noda (2012) show, the OLS estimate, $\hat{\beta}$, of the above linear model provides the same estimation, $\hat{A}_t$, ($t = 1, 2, \dots, T$) as those of the Kalman smoothing for the original state space model. In contrast to the traditional method of the Kalman smoothing, we can use familiar techniques of econometrics such as heteroskedastic autoregressive consistent (HAC) estimations (see, for example, Newey and West (1987, 1994)). Such a HAC estimate enables us to obtain the covariance estimate of $\Sigma_{vec(A_t)}$, ($t = 1, 2, \dots, T$) from the covariance estimate, Σ_{β} . It is possible to construct the confidence intervals of the VAR coefficients for period by period by using the squared diagonal components of $\Sigma_{\hat{\beta}}$. Furthermore, as shown A.1 in Appendix, our approach never confronts with the problem of identifiability unlike usual econometric analyses using least square techniques. In comparison with Bayesian approaches, our method is so simple that we are free from sometimes agonizing choice of prior distribution of parameters (for a typical example of the Bayesian TV-VAR model approach, see Cogley and Sargent (2001, 2005) and Primiceri (2005)).

2.4 Granger Causality for Non-Bayesian TV-VAR Model

Similar to the impulse response functions, we have the Wald test statistic of Granger causality at t under the supposition of locally stationary process. That is, we consider that it is possible to obtain the statistic at each period based on information available on the estimation of our TV-VAR model.

The Granger causality test is essentially a test for a constraint of VAR coefficients. Inspired by Lütkepohl (2005, ch.3.6), we generally consider the following tests for our TV-VAR model:

$$H_{0,t} : C\alpha_t = c \text{ against } H_{0,t} : C\alpha_t \neq c, \quad (t = 1, 2, \dots, T)$$

where C is an $(N \times (k^2 + k))$ matrix of rank N , α_t is a parameter vector of TV-VAR coefficients at time t including drift terms or not, and c is an $(N \times 1)$ vector. Suppose that

$$\sqrt{T} \begin{pmatrix} \hat{\alpha}_t - \alpha_t \\ \hat{\sigma} - \sigma \end{pmatrix} \xrightarrow{d} \mathcal{N} \left(\begin{pmatrix} O \\ O \end{pmatrix}, \begin{pmatrix} \Sigma_{\hat{\alpha}_t} & O \\ O & \Sigma_{\hat{\sigma}} \end{pmatrix} \right)$$

holds. Then,

$$\sqrt{T}(C\hat{\alpha}_t - C\alpha_t) \xrightarrow{d} \mathcal{N}(0, C\Sigma_{\hat{\alpha}_t}C'), \quad t = 1, 2, \dots, T,$$

is derived. Hence,

$$T(C\hat{\alpha}_t - c)(C\Sigma_{\hat{\alpha}_t}C')^{-1}(C\hat{\alpha}_t - c)' \xrightarrow{d} \chi^2(N).$$

Resulting test statistic is:

$$\lambda_{W_t} = T(C\hat{\alpha}_t - c)(C\Sigma_{\hat{\alpha}_t}C')^{-1}(C\hat{\alpha}_t - c)', \quad t = 1, 2, \dots, T.$$

Using this statistic, we make a χ^2 test for the Granger causality.

2.5 Generalized Impulse Responses for Non-Bayesian TV-VAR Model

In the previous section, we exhibit how to obtain the non-Bayesian TV-VAR estimate, $\hat{A}_t$, ($t = 1, 2, \dots, T$). We analyze time-varying structure of international stock market linkage based on the series of TV-VAR(1) coefficients. Summarizing his idea, he regards non-stationary time series generated by a state space model as patchwork made with locally stationary VAR models (see Kitagawa (2010, ch.13) for detail).

Here we show how to compute impulse response functions and related series of variables at each period t to elucidate the time-varying structure of linkage to stock markets. First, we give brief review of computing impulse responses of our TV-VAR model based on $\hat{A}_t$. Given coefficients A_t of a VAR model, we can convert it to a vector moving average (VMA) representation under the condition that for any z such that $|z| \leq 1$

$$\det(I_k - A_{1,t}z - \dots - A_{p,t}z^p) \neq 0.$$

Our idea relies on the generalized impulse responses, which are developed in order to avoid the shorcoming when using the Cholesky decomposition (See Koop et al. (1996) and Pesaran and Shin (1998)). The generalized impulse response function $GI_{\mathbf{y}}$ at horizon n of an underlying time series $\{\mathbf{y}_t\}$ is defined as:

$$GI_{\mathbf{y}}(n, \boldsymbol{\delta}, \Omega_{t-1}) = E(\mathbf{y}_{t+n} | \mathbf{u}_t = \boldsymbol{\delta}, \Omega_{t-1}) - E(\mathbf{y}_{t+n} | \Omega_{t-1}), \quad (7)$$

where Ω_{t-1} is the available information set at t . In our case our concern is the influence of a specific shock in a state equation (4) to state variables. We suppose that the two kinds of noises in (4) and (5) follow an i.i.d. distribution. That is, their covariance structure is represented:

$$\Sigma = \begin{pmatrix} \Sigma_{\mathbf{u}} & \mathbf{O} \\ \mathbf{O} & \Sigma_{\mathbf{v}} \end{pmatrix},$$

where $\Sigma_{\mathbf{u}}$ and $\Sigma_{\mathbf{v}}$ are covariance matrices of $\mathbf{u}_t$ and $\mathbf{v}_t$ respectively. Furthermore, for convenience of calculation, we assume the noises follow the normal distribution with mean $\mathbf{0}$ and the above covariance matrix. Under these assumptions, we can evaluate the two terms of right-hand side in (7). The reader should note that the difference between them only depends on shocks of the state equation (4) at t and that the shocks never cause variation of VAR coefficients A_{t+n} for any $n \geq 0$ since there is no correlation between $\mathbf{u}_t$ and $\mathbf{v}_t$ in equation (4) and (5) (see A.2 in Appendix for detail). This result alleviates our task to calculate the generalized impulse response function.

Applying the above result and Lütkepohl (2005, ch.3) to our VAR(p) model allows us to have s 'th step of the ordinary impulse responses, conditional on $t-1$, $\Phi_{s,t}$ corresponding to A_t as follows:

$$\Phi_{0,t} = I_k, \quad \Phi_{s,t} = \sum_{j=1}^s \Phi_{s-j,t} A_{j,t}, \quad s = 1, 1, 2, \dots.$$

Note that in case of $p = 1$ the above conversion rule becomes

$$\Phi_{s,t} = A_t^s, \quad s = 0, 1, 2, \dots.$$

When we mention an impulse response function at t , Φ_t , it means a mapping from non negative integer m to $\Phi_{m,t}$.

Note that $\boldsymbol{\mu}_t = E[\mathbf{y}_t | \Omega_{t-1}]$ varies over time in our framework in contrast to ordinary VAR models since

$$\boldsymbol{\mu} = (I_k - A_{1,t} - \dots - A_{p,t})^{-1} \boldsymbol{\nu}.$$

$$\boldsymbol{\mu}_t = \boldsymbol{\nu} + A_t \boldsymbol{\nu} + A_t^2 \boldsymbol{\nu} + \dots, \quad t = 1, 2, \dots, T.$$

Employing the ordinary impulse responses at t and the following relation is essential to derive our TV-GIRs.

$$\mathbf{y}_{t+n} = \boldsymbol{\mu}_t + \Phi_{0,t} \boldsymbol{\delta} + \Phi_{1,t} \boldsymbol{\delta} + \Phi_{2,t} \boldsymbol{\delta} + \dots.$$

We have

$$\begin{aligned} GI_{\mathbf{y}}(n, \boldsymbol{\delta}, \Omega_{t-1}) &= E(\mathbf{y}_{t+n} | \mathbf{u}_t = \boldsymbol{\delta}, \Omega_{t-1}) - E(\mathbf{y}_{t+n} | \Omega_{t-1}) \\ &= E\left(\sum_{i=0}^{\infty} \Phi_{i,t} \mathbf{u}_{t+n-i} | \mathbf{u}_t = \boldsymbol{\delta}, \Omega_{t-1}\right) - E\left(\sum_{i=0}^{\infty} \Phi_{i,t} \mathbf{u}_{t+n-i} | \Omega_{t-1}\right) \\ &= (\Phi_{0,t} \mathbf{u}_{t+n} + \Phi_{1,t} \mathbf{u}_{t+n-1} + \dots + \Phi_{n,t} \boldsymbol{\delta} + \Phi_{n+1,t} \mathbf{u}_{t-1} + \dots) \\ &\quad - (\Phi_{0,t} \mathbf{u}_{t+n} + \Phi_{1,t} \mathbf{u}_{t+n-1} + \dots + \Phi_{n,t} \mathbf{u}_t + \Phi_{n+1,t} \mathbf{u}_{t-1} + \dots) \\ &= \Phi_{n,t} \boldsymbol{\delta}. \end{aligned}$$

Following the setting of shock by Pesaran and Shin (1998), we obtain the unscaled generalized impulse response function of the shock $E(\boldsymbol{\varepsilon}_t | u_{jt} = \delta_j)$. Note that such a shock, which is also employed in the above derivation, is represented as

$$\begin{aligned} E(\boldsymbol{\varepsilon}_t | \mathbf{u}_{j,t} = \delta_j) &= \begin{pmatrix} \Sigma_{\mathbf{u}} & \mathbf{O} \\ \mathbf{O} & \Sigma_{\mathbf{v}} \end{pmatrix} \begin{pmatrix} \mathbf{e}_j \\ \mathbf{0} \end{pmatrix} \sigma_{u,jj}^{-1} \delta_j \\ &= \begin{pmatrix} \sigma_{u,1j} \\ \sigma_{u,2j} \\ \vdots \\ \sigma_{u,jj} \\ \vdots \\ \sigma_{u,Kj} \\ 0 \\ \vdots \\ 0 \end{pmatrix} \cdot \frac{\delta_j}{\sigma_{u,jj}}, \end{aligned} \tag{8}$$

where $\sigma_{u,ij}$ is the ij component of $\Sigma_{\mathbf{u}}$.

Following Pesaran and Shin (1998), we choose the stength of shock:

$$\delta_j = \sigma_{u,jj}.$$

Then, the generalized impulse response of the effect of a shock in the j -th state equation at time t on $\mathbf{y}_{t+n}$ is

$$\sigma_{u,jj}^{-\frac{1}{2}} \Phi_{n,t} \Sigma_{\mathbf{u}} \mathbf{e}_j. \tag{9}$$

Finally, using $\text{diag}(\cdot)$, a diagonal operator whose value is the diagonal matrix which has the diagonal elements of the argument matrix or the argument vector on its main diagonal, we can derive the following representation of the generalized impulse response function.

$$GI_{\mathbf{y}}(n, \boldsymbol{\delta}, \Omega_{t-1}) = \Phi_{n,t} \Upsilon,$$

where $\Upsilon = \Sigma_{\mathbf{u}} \cdot \text{diag}(\sigma_{u,11}^{-\frac{1}{2}} \sigma_{u,22}^{-\frac{1}{2}} \cdots \sigma_{u,KK}^{-\frac{1}{2}})$.

2.6 Time-Varying Degrees of Market Efficiency and Propagation of Market Fluctuations

Thus, the excess returns of stocks at t , $\mathbf{z}_t = \mathbf{y}_t - \boldsymbol{\mu}_t$, is of interest to us when we analyze the time-varying structure of stock markets. In case of the efficient market hypothesis, we are interested in whether $E[\mathbf{z}_t | \mathcal{I}_{t-1}] = \mathbf{0}$, $t = 1, 2, \dots$ are independently distributed or not. We could analyze it by examining the impulse responses at t , say, whether the s 'th responses to an impulse are zero or not for any $s > 1$.

We regard such time dependent variables of a TV-VAR model as of a locally stationary model. These impulse responses would give us information on how a shock appeared in a market at a period propagates over time locally. Furthermore, we are concerned about total effects of such an exogenous shock to each variable, which is calculated by cumulated summation of $\Phi_{s,t}$ if shocks are uncorrelated to each other. Specifically,

$$\Psi_{s,t} = \sum_{j=1}^s \Phi_{j,t}.$$

Taking limit of s to ∞ , we have

$$\Psi_{\infty,t} = \sum_{j=1}^{\infty} \Phi_{j,t}.$$

If $I_k - A_{1,t} - \dots - A_{p,t}$ is nonsingular, the following equation holds for $\text{VAR}(p)$.

$$\Psi_{\infty,t} = (I_k - A_{1,t} - \dots - A_{p,t})^{-1}.$$

Then, we use this relation to obtain total effects, $\Psi_{s,t}$ for each t . We call $\Psi_{s,t}$ and $\Psi_{\infty,t}$ the long-run multipliers, which negatively reflect the degree of market efficiency in the semi-strong sense. That is, the larger the value of long-run multipliers are, the more inefficient the stock markets are.


In order to examine the propagation pattern of a certain market shock to both the market itself and other ones, we consider the underlying shock that is uncorrelated to any shocks in other markets. In other words, responses to an *independent* impulse are significant. When a VAR model is employed, however, the estimated covariance matrix of the error term, $\Sigma_{\mathbf{u}}$, is not always diagonal. Conventionally, the use of Cholesky decomposition has been suggested (see, for example, Lütkepohl (2005, ch.3)). However, this approach is not invariant to the ordering of variables in a VAR models. We employ the generalized impulse responses for a VAR model to avoid this shortcoming.

Lütkepohl (2005) shows that an orthogonalized impulse response function of a VMA model is obtained simply by multiplying each coefficient matrix by P , the Cholesky decomposition matrix of the covariance matrix of shocks. In place of P , we use Υ defined in the previous subsection to obtain the generalized impulse response function. Thus, we define their correspondences to $\Phi_{s,t}$, $\Psi_{s,t}$ and $\Psi_{\infty,t}$ for the generalized impulses responses as follows.

$$\Theta_{s,t} = \Phi_{s,t} \Upsilon, \quad \Xi_{s,t} = \Psi_{s,t} \Upsilon, \quad \Xi_{\infty,t} = \Psi_{\infty,t} \Upsilon.$$

Practically, we estimate for the matrix Υ by using $\hat{\Upsilon}$ to obtain the estimates, $\hat{\Theta}_{s,t}$, $\hat{\Xi}_{s,t}$ and $\hat{\Xi}_{\infty,t}$.

We exhibit the relations among the variables:



The reader should notice the significance of each estimates in the above diagram. In particular, the TV-GIRs $\hat{\Theta}_t$ and the time-varying long-run multipliers matrices $\hat{\Xi}_{\infty,t}$ play a very vital role in our paper. The former provide us with information about how a market shock influences on the other market over time. It concerns the relation between two markets through an instantaneous shock in a market. The latter teaches us the time-varying structure of the relation between two markets from the point of view of information efficiency. Specifically the diagonal components of the matrix at a time $\hat{\Xi}_{\infty,t}$ exhibit market inefficiency in the semi-strong sense of Fama (1970, 1991). The non-diagonal ones reflect how strong a market propagates its information to another market. We call the non-diagonal components of $\hat{\Xi}_{\infty,t}$ at time t the degree of propagation.¹

3 Data

This paper uses the monthly returns for the S&P500 and Tokyo stock price index (S&P500 and TOPIX) from January 1955 to September 2012, obtained from Robert Shiller's website (S&P500) and *The monthly statistics report of Tokyo Stock Exchange* (TOPIX). In practice, we take log first difference of time series of the stock price index. Figure 1 presents time series plots for each variables.

(Figure 1 around here)

For the estimations, all variables that appear in the moment conditions should be stationary. To check whether the variables satisfy the stationarity condition, We use the

¹Following the method of Lütkepohl (2005, ch.3, Proposition 3.6), we can compute the confidence bands of the TV-GIRs and their related variables (see A.2 in Appendix for detail).

ADF-GLS test of Elliott et al. (1996). Table 1 provides some descriptive statistics and the results of the ADF-GLS tests. For all the variables, the ADF-GLS test rejects the null hypothesis that the variable contains a unit root at conventional significance levels.²

(Table 1 around here)

4 Empirical Results

First, we present a preliminary VAR estimation with whole sample and examine whether the VAR estimates change over time or not using the parameter constancy test of Hansen (1992). Second, we estimate the our TV-VAR model, and calculate Granger causality test statistics as shown in section 2. Third, we also estimate the long-run multipliers which are based on the TV-GIRs to measure the degree of market efficiency and propagation of market fluctuations in the sense of semi-strong form (see, Fama (1970, 1991) for details).

4.1 Preliminary Estimation

We assume a model with constant and use the Bayesian information criterion (BIC) of Schwarz (1978) as an optimal lag order selection criteria in a VAR estimation. In our estimation, we choose a first-order vector autoregressive model. Table 2 shows that the preliminary results for an VAR(1) model using the whole sample.³

(Table 2 around here)

The VAR estimates are statistically significant at conventional levels except for first-order vector autoregressive term, R^{JPN} , in the equation R^{US} . And the results of Granger causality test show that the returns on U.S. stock market influence the returns on Japanese stock market during the above sample period, but not *vice versa*.⁴

Now, we investigate whether there exhibits a parameter constancy in the above VAR model using Hansen's (1992) tests under random parameters hypothesis. Table 2 also shows the results of Hansen's (1992) joint parameter constancy test with variance, the VAR estimates are simultaneously time-varying, we reject the null of constant parameters against the parameter variation as random walk at the 1% statistical significant level. Therefore, we estimate the time-varying parameters of the above VAR model to investigate whether gradual changes occur in the U.S. and the Japanese stock market.

²We confirm that there are no size distortions that Elliott et al. (1996) and Ng and Perron (2001) pointed out in making the ADF-GLS test for small samples (see a column $\hat{\phi}$ of the table 1 for details). Therefore, we use the Modified Bayesian Information Criterion (MBIC), not the Modified Akaike Information Criteria (MAIC) to select an optimal lag order for the ADF-GLS tests.

³We use the heteroskedasticity and autocorrelation consistent (HAC) covariance matrix estimator of Newey and West (1987, 1994).

⁴Toda and Yamamoto (1995) demonstrate that the Granger causality test should be carefully made for VAR estimation formulated in levels, since the test concerns general restrictions on the parameter matrices even when the processes may be integrated or cointegrated of an arbitrary order. Their result has nothing to do with our approach because we do not use level variables and we choose one as the lag order of VAR using BIC.

4.2 Non-Bayesian TV-VAR Estimation and Granger Causality Test

We adopt new estimation methods as shown in section 2.3 for our TV-VAR(1) model. Figure 2 exhibits the time-varying estimates of the VAR(1) model.

(Figure 2 around here)

We confirm that all first-order vector autoregressive terms change over time in our TV-VAR(1) model. The estimates show that the structure of stock markets fluctuates wildly through time as shown in Ito and Sugiyama (2009) and Ito and Noda (2012).

Figure 3 shows that the results of the Granger causality test which are based on the TV-VAR(1) estimates.

(Figure 3 around here)

We confirm that the results of Granger causality test change over time. And those results are quite different from when we employ a time-invariant VAR(1) model. In particular, we find that: (1) the top panel in figure 3 provides the Granger causality from the returns on U.S. stock market to the returns on the Japanese stock market in two decades from 1970 and in several years from late 1990s, and (2) the bottom panel in figure 3 displays the Granger causality from the returns on Japanese stock market to the returns on the U.S. stock market in the early 1980s and the early 1990s.

4.3 Time-Varying Generalized Impulse Responses and Long-Run Multipliers

In this subsection, we estimate the long-run multipliers which are based on TV-GIRs to measure the degree of market efficiency and propagation of market fluctuations in the sense of semi-strong form. And we analyze the total effects of exogenous shocks.

Figure 4 shows the three-dimensional representation of the TV-GIR functions in our TV-VAR(1) model.

(Figure 4 around here)

We find that the time paths of effects of an exogenous shocks to the each stock markets vary widely with time. And we estimate the long-run multipliers which are based on the TV-GIRs to measure the degree of market efficiency and propagation of market fluctuations.

The diagonal panels in figure 5 present the degree of semi-strong form of market efficiency.

(Figure 5 around here)

We confirm that the degree of semi-strong form of market efficiency changes over time for each stock markets. The degree of market efficiency declines (rises) in the period of bubbles (panics: market crashes and economic crises) in both the stock markets as is obvious from the table 3. In periods of bubble with full of unreliable information,

some investors could gain huge windfalls, which suggests that the market is inefficient; in periods of panic, an average investor hardly beats the stock market overall, which suggests that the market is efficient.

(Table 3 around here)

And the degree of market efficiency in the semi-strong sense shows that the U.S. stock market is more efficient than the Japanese one at most periods.

The non-diagonal panels in figure 5 exhibit absolutely different degree of propagation of market fluctuations in U.S. and Japan. According to the deviations from zero in the two panels, we find several facts. First, the degree of propagation of market fluctuations in U.S. is two times larger than Japanese ones at most periods. In other words, the U.S. stock market is hardly influenced by the persistent shocks from the Japanese stock market, but the Japanese stock market receives a great amount of influence from the U.S. stock market. Second, the U.S. stock market strongly influenced the Japanese stock market in the periods of “1973 Oil Crisis” and “Booming 1980s”. Third, the events in the mid 2000s, “U.S. Housing” and “Bankruptcy of Lehman Brothers”, have smaller influence on the Japanese stock market than in the above two eras.

5 Concluding Remarks

In this paper, we develop new methodologies to analyze the time-varying structure of international linkages and market efficiency in stock markets. In particular, we first establish whether the parameters of the standard VAR model are time-invariant or not. The results of Hansen’s (1992) test indicates possibility that those parameters are not time-invariant. Then, we estimate our non-Bayesian TV-VAR model and calculate Granger causality test statistics. And we estimate the long-run multipliers which are based on the TV-GIRs to analyze the total effects of exogenous shocks as the degree of market efficiency and propagation of market fluctuations in the semi-strong sense. Our empirical results provide a new perspective that the stock market linkages and market efficiency in the semi-strong sense change over time.

First, we find that the international stock market linkages between the two countries vary with time from the following two evidences. The results of the time-varying Granger causality tests show that the strength of the Granger causality depends on period by period. Moreover, the degree of propagation of market fluctuations in U.S. is two times larger than Japanese ones at most periods. It indicates that the international stock market linkages between the two countries changes considerably for some periods, for instance, the Japanese stock market is not so much greatly influenced by the bankruptcy of Lehman Brothers as the U.S. ones. Our findings show the international linkage of stock market varying. While the preceding studies certainly approve the existence of the linkage, we stress strength of the linkages differ periods by periods.

Second, we also find that the degree of market efficiency in the semi-strong sense changes over time for each stock markets. The degree of market efficiency declines (rises) in the period of bubbles (panics: market crashes and economic crises) in both the stock markets as same as Ito and Noda (2012) pointed out. In periods of bubble with full of

unreliable information, some investors could gain huge windfalls, which suggests that the market is inefficient; in periods of panic, an average investor hardly beats the stock market overall, which suggests that the market is efficient. And the degree of market efficiency in the semi-strong sense shows that the U.S. stock market is more efficient than the Japanese one.

At last, as pointed out in the last part of the previous section, our empirical results well correspond to the major historical events in international finance in this half century. Although varying stock market linkage certainly reflects increased structural changes in our economy, what else shock affects the stock markets is still an open question. Each country's economic policy, say, its fiscal policy, would affect the international financial market. This issue is left for our future research.

Appendix

A.1 Regressor of State Space Regression Models

This section shows the reader a significant property of the method that we present for dealing with a TV-VAR(1) model in section 2. The method enables us to handle the model as a conventional econometric model by identifying the corresponding state space model with a linear regression model. Recall that the observation equation and the state one appeared in the state space model in section 2: the equations, (4) and (5).

We prove that estimating method of the smoother of a state space model guarantees the exact estimate whatever data is applied. Mathematically we assert that the regressor matrix of our underlying linear system has full rank. This implies that our estimation never suffers from multi colinearity and that our model is always identifiable in the sense of Rothenberg (1971). The following results do not depend on whatever time-varying model is assumed; they cover our TV-VAR model, a typical state space model.

The model consists of two equations as follows:

$$\mathbf{y}_t = X_t \boldsymbol{\beta}_t + \mathbf{u}_t, \quad \mathbf{u}_t \stackrel{iid}{\sim} \mathcal{N}(\mathbf{0}, \boldsymbol{\Sigma}_u), \quad t = 1, 2, \dots, T, \quad (\text{A.1})$$

and

$$\boldsymbol{\beta}_{t+1} = B_t \boldsymbol{\beta}_t + \mathbf{v}_t, \quad \mathbf{v}_t \stackrel{iid}{\sim} \mathcal{N}(\mathbf{0}, \boldsymbol{\Sigma}_v), \quad t = 1, 2, \dots, T. \quad (\text{A.2})$$

Note that $\mathbf{y}_t$'s are k -dimensional vectors and $\boldsymbol{\beta}_t$'s are m -dimensional vectors as parameters. X_t and B_t are $k \times m$ and $m \times m$ matrices respectively. Notice that two disturbances, $\mathbf{u}_t$ and $\mathbf{v}_t$, follow *iid* normal distributions with zero means and covariance matrices, $\boldsymbol{\Sigma}_u$ and $\boldsymbol{\Sigma}_v$, respectively.

By transformig the equation(A.2) to the following form, we can regard the state equation as a linear regression model.

$$\mathbf{0} = B_t \boldsymbol{\beta}_t - I \boldsymbol{\beta}_{t+1} + \mathbf{v}_t, \quad \mathbf{v}_t \stackrel{iid}{\sim} \mathcal{N}(\mathbf{0}, \boldsymbol{\Sigma}_v), \quad t = 1, 2, \dots, T. \quad (\text{A.3})$$

Combining (A.1) with (A.3) into the following linear system, we can employ conventional econometric techniques to obtain the Kalman smoother.

$$\hat{\mathbf{y}} = \begin{bmatrix} \mathbf{y} \\ \boldsymbol{\gamma} \end{bmatrix} = \begin{bmatrix} \mathbf{X} \\ \bar{\mathbf{W}} \end{bmatrix} \boldsymbol{\beta} + \begin{bmatrix} \mathbf{u} \\ \mathbf{v} \end{bmatrix}$$

where

$$\mathbf{y} = \begin{pmatrix} \mathbf{y}_1 \\ \mathbf{y}_2 \\ \vdots \\ \mathbf{y}_T \end{pmatrix}, \quad \boldsymbol{\gamma} = \begin{pmatrix} -B_0\boldsymbol{\beta}_0 \\ \mathbf{0} \\ \vdots \\ \mathbf{0} \end{pmatrix}, \quad \mathbf{u} = \begin{pmatrix} \mathbf{u}_1 \\ \mathbf{u}_2 \\ \vdots \\ \mathbf{u}_T \end{pmatrix}, \quad \mathbf{v} = \begin{pmatrix} \mathbf{v}_1 \\ \mathbf{v}_2 \\ \vdots \\ \mathbf{v}_T \end{pmatrix},$$

and

$$\mathbf{X} = \begin{pmatrix} X_1 & & & \mathbf{O} \\ & X_2 & & \\ & & \ddots & \\ \mathbf{O} & & & X_T \end{pmatrix}, \quad \mathbf{W} = \begin{pmatrix} -I & & & \mathbf{O} \\ B_1 & -I & & \\ & \ddots & \ddots & \\ \mathbf{O} & & B_{T-1} & -I \end{pmatrix}.$$

Our main theorem of this appendix is as follows:

Theorem 1 *The regressor matrix has full rank. That is*

$$\text{rank} \begin{bmatrix} \mathbf{X} \\ \mathbf{W} \end{bmatrix} = mT.$$

Proof: Let $\hat{\mathbf{X}}$ denote the regressor matrix. It is of size $(k+m)T \times mT$. Thus, $\text{rank} \hat{\mathbf{X}} \leq mT$. Clearly, each ranks of the two submatrices, $\mathbf{W}$ and $\mathbf{X}$, are fewer than or equal to mT . Formally,

$$\text{rank} \mathbf{X} \leq mT,$$

and

$$\text{rank} \mathbf{W} \leq mT.$$

On the other hand, $\text{rank} \mathbf{W} = \text{rank} \mathbf{W}'$. Since $\mathbf{W}'$ has the following reduced row echelon form:

$$\begin{pmatrix} -I & B_1 & & \mathbf{O} \\ & -I & \ddots & \\ & & \ddots & B_{T-1} \\ \mathbf{O} & & & -I \end{pmatrix},$$

its rank is clearly mT . Finally, $mT \leq \text{rank} \hat{\mathbf{X}} \leq mT$. This implies $\text{rank} \hat{\mathbf{X}} = mT$. $\square$

The reader should notice that the rank of $\hat{\mathbf{X}}$ depends neither the data matrices, $X_1, X_2, \dots, X_T$, nor the state transition matrices, $B_1, B_2, \dots, B_{T-1}$. This signifies that classical least square techniques such as OLS or GLS are always applicable to estimate linear time-varying models that can be represented as state space models.

In this paper, our TV-VAR(1) model with constant drift. Such a model has two types of parameters to be estimated: time-varying and time-invariant. In the rest of this appendix, we confirm that the above discussion holds even if linear time-varying model such as our model has time-invariant parameters. In the case, we should modify the equation (A.1) as follows:

$$\mathbf{y}_t = Z_t \boldsymbol{\alpha} + X_t \boldsymbol{\beta}_t + \mathbf{u}_t, \quad \mathbf{u}_t \stackrel{iid}{\sim} \mathcal{N}(\mathbf{0}, \boldsymbol{\Sigma}_u), \quad t = 1, 2, \dots, T,$$

where α is a ℓ -vector of time invariant parameters and Z_t is a $k \times \ell$ matrix of data. The regressor matrix turns to be

$$\begin{bmatrix} \mathbf{Z} & \mathbf{X} \\ \mathbf{O} & \mathbf{W} \end{bmatrix},$$

where the above $\mathbf{O}$ is $mT \times \ell$ matrix of zero and

$$\mathbf{Z} = \begin{pmatrix} Z_1 \\ Z_2 \\ \vdots \\ Z_T \end{pmatrix}.$$

The following theorem holds.

Theorem 2

$$\text{rank} \begin{bmatrix} \mathbf{Z} & \mathbf{X} \\ \mathbf{O} & \mathbf{W} \end{bmatrix} = \text{rank} \mathbf{Z} + mT.$$

Proof: Let $\tilde{\mathbf{X}}$ denote the regressor matrix in the case. According to Theorem 1, $\text{rank} \hat{\mathbf{X}}$ is mT . Thus, using the reduced row echelon form of $\mathbf{W}$, say, $\mathbf{W}_0$, we can transform $\hat{\mathbf{X}}$ to the following form:

$$\begin{bmatrix} \mathbf{O} \\ \mathbf{W}_0 \end{bmatrix}.$$

Then there are two non-singular matrices, P of size $((k+m)T) \times ((k+m)T)$ and Q of size $(\ell+mT) \times (\ell+mT)$, such that

$$P \tilde{\mathbf{X}} Q = \begin{bmatrix} \mathbf{Z} & \mathbf{O} \\ \mathbf{O} & \mathbf{W}_0 \end{bmatrix}.$$

Considering $\text{rank} \mathbf{Z} = mT$ and

$$\text{rank} \begin{bmatrix} \mathbf{Z} \\ \mathbf{O} \end{bmatrix} = \text{rank} \mathbf{Z},$$

we have $\text{rank} \tilde{\mathbf{X}} = \text{rank} \mathbf{Z} + mT$. $\square$

Note that we can deal with the case of the TV-VAR(1) with time-invariant drift term such as our model in this paper. As appeared in section 2.3, one regards $\mathbf{Z}$ as

$$\begin{pmatrix} I \\ I \\ \vdots \\ I \end{pmatrix},$$

where each I denotes $k \times k$ identity matrix. Then, $\text{rank} \mathbf{Z} = k$. Considering the number of parameters to be estimated is $k + k^2T$ and $m = k^2$, our TV-VAR model has no problem of identification.

A.2 Generalized Impulse Responses and Their Confidence Bands

This section presents several mathematical propositions on which our empirical analyses rely. First, we address the important property of the generalized impulse responses for our TV-VAR model. That is, they are derived from the VMA model such that we set shocks concerning the time-varying parameters of our TV-VAR model zero for periods following the starting period. Then, we employ the matrix Υ in section 2.5 in place of the orthogonal shocks derived from the Cholesky decomposition. Second, we can compute the confidence bands of the generalized impulse responses and other our estimates since they depend only on the estimates of the TV-VAR coefficients and covariance matrix of the disturbance terms of the model.

Here we show the first proposition with respect to the generalized impulse responses.

Proposition 1 *Consider TV-VAR(p) model, the equation (4) and (5). Suppose that*

$$(\mathbf{u}_t, \mathbf{v}_t)' \stackrel{iid}{\sim} \mathcal{N}\left(\mathbf{0}, \begin{bmatrix} \Sigma_{\mathbf{u}} & \mathbf{O} \\ \mathbf{O} & \Sigma_{\mathbf{v}} \end{bmatrix}\right).$$

The generalized impulse response function of $\mathbf{y}_t$ for TV-VAR (p) at horizon n is obtained from a VMA(∞) model conditional on Ω_{t-1} derived by setting $\mathbf{0} = \mathbf{v}_t = \mathbf{v}_{t+1} = \mathbf{v}_{t+2} \cdots$ for the TV-VAR(p) model.

Proof: Fix t and recall that

$$\mathbf{y}_{t+i} = A_{t+i}Z_{t-1+i} + \mathbf{u}_{t+i} \quad i = 1, 2, \dots,$$

$$vec(A_{t+i}) = vec(A_{t-1+i}) + \mathbf{v}_{t+i} \quad i = 1, 2, \dots,$$

and

$$\begin{pmatrix} \mathbf{u}_{t+i} \\ \mathbf{v}_{t+i} \end{pmatrix} \stackrel{iid}{\sim} \mathcal{N}\left(\begin{bmatrix} \mathbf{0} \\ \mathbf{0} \end{bmatrix}, \begin{bmatrix} \Sigma_{\mathbf{u}} & \mathbf{O} \\ \mathbf{O} & \Sigma_{\mathbf{v}} \end{bmatrix}\right).$$

Thus, following Koop et al. (1996), we have the shocks to obtain the generalized impulse responses as follows:

$$\begin{aligned} E(\boldsymbol{\varepsilon}_t \mid \boldsymbol{\varepsilon}_{jt} = (\boldsymbol{\delta}_{\mathbf{u}j}, \mathbf{0})', \Omega_{t-1}) &= (\sigma_{\mathbf{u}1j}, \sigma_{\mathbf{u}2j}, \dots, \sigma_{\mathbf{u}Kj}, 0, \dots, 0)' \sigma_{\mathbf{u}jj}^{-1} \boldsymbol{\delta}_{\mathbf{u}j} \\ &= \begin{bmatrix} \Sigma_{\mathbf{u}} & \mathbf{O} \\ \mathbf{O} & \Sigma_{\mathbf{v}} \end{bmatrix} \begin{bmatrix} \mathbf{e}_{\mathbf{u}j} \\ \mathbf{O} \end{bmatrix} \sigma_{\mathbf{u}jj}^{-1} \boldsymbol{\delta}_{\mathbf{u}j} \\ &= \begin{bmatrix} \Sigma_{\mathbf{u}} \mathbf{e}_{\mathbf{u}j} \sigma_{\mathbf{u}jj}^{-1} \\ \mathbf{O} \end{bmatrix} \boldsymbol{\delta}_{\mathbf{u}j}, \end{aligned}$$

where $\sigma_{\mathbf{u}ij}$ is the ij component of $\Sigma_{\mathbf{u}}$. This fact allows us to ignore the shocks concerning time-varying parameters in our TV-VAR model when we derive the corresponding VMA(∞) model. $\square$

The above proposition shows that the generalized impulse responses can be obtained by ignoring shocks on time-varying parameters. Thus, we can apply similar derivation process of impulse responses from orthogonalized shocks in Lütkepohl (2005, ch.3). We employ the matrix Υ in section 2.5 to obtain the generalized impulse responses and other

stats derived from them as pointed in section 2. The remainder of this section shows how to compute the confidence bands of the TV-GIR functions and their related variables. We can construct the confidence band under the assumption of asymptotic normality of the parameters estimated, $vec(\hat{A}_1, \hat{A}_2, \dots, \hat{A}_T)$ for TV-VAR(p). Since all we need are not the $(k^2pT) \times (k^2pT)$ covariance matrix of $vec(\hat{A}_1, \hat{A}_2, \dots, \hat{A}_T)$ but the T covariance matrices of $vec(\hat{A}_t)$, ($t = 1, 2, \dots, T$) as well as the covariance matrix of $\boldsymbol{\sigma} = vech(\Sigma_{\mathbf{u}})$. We take T submatrices with size $k^2p \times k^2p$ from the diagonal positions of $vec(\hat{A}_1, \hat{A}_2, \dots, \hat{A}_T)$ as the covariance matrices of $vec(\hat{A}_t)$, $t = 1, 2, \dots, T$. Let Σ_{α_t} denote the covariance matrix of $vec(\hat{A}_t)$, $t = 1, 2, \dots, T$ in what follows.

With respect to the covariance matrix of $\boldsymbol{\sigma} = vech(\Sigma_{\mathbf{u}})$, noted $\Sigma_{\boldsymbol{\sigma}}$, the following formula holds.

$$\Sigma_{\boldsymbol{\sigma}} = 2\mathbf{D}_k^+(\Sigma_{\mathbf{u}} \otimes \Sigma_{\mathbf{u}})(\mathbf{D}_k^+)',$$

where $\mathbf{D}_k^+ = (\mathbf{D}_k' \mathbf{D}_k)^{-1} \mathbf{D}_k'$, that is the generalized inverse of duplication matrix $\mathbf{D}_k$, which is a constant matrix. In case of $k = 2$ and $p = 1$,

$$\mathbf{D}_2 = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}, \quad \mathbf{D}_2^+ = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}.$$

We have its estimate, $\hat{\Sigma}_{\hat{\boldsymbol{\sigma}}}$ setting $\hat{\Sigma}_{\mathbf{u}} = \hat{U}\hat{U}'/T$, where $\hat{U}$ is the matrix of our OLS residuals (see Lütkepohl (2005, p.93) for detail).

Here we present a theorem to summarize the asymptotic properties of our featured statistics under the supposition of Proposition 1.⁵

Theorem 3 *Suppose that*

$$\sqrt{T} \begin{pmatrix} \hat{\boldsymbol{\alpha}}_t - \boldsymbol{\alpha}_t \\ \hat{\boldsymbol{\sigma}} - \boldsymbol{\sigma} \end{pmatrix} \xrightarrow{d} \mathcal{N} \left(\begin{pmatrix} \mathbf{O} \\ \mathbf{O} \end{pmatrix}, \begin{pmatrix} \Sigma_{\hat{\boldsymbol{\alpha}}_t} & \mathbf{O} \\ \mathbf{O} & \Sigma_{\hat{\boldsymbol{\sigma}}} \end{pmatrix} \right),$$

$$\sqrt{T}(\hat{\Phi}_{s,t} - \Phi_{s,t}) \xrightarrow{d} \mathcal{N}(\mathbf{0}, G_{s,t} \Sigma_{\hat{\boldsymbol{\alpha}}_t} G_{s,t}', \quad s = 1, 2, \dots, \quad t = 1, 2, \dots, T,$$

where

$$G_{s,t} = \frac{\partial vec(\Phi_{s,t})}{\partial^t \boldsymbol{\alpha}} = \sum_{m=1}^{s-1} J(\mathbf{A}_t)'^{s-1-m} \otimes \Phi_{m,t},$$

$$\mathbf{A}_t = \underbrace{\begin{bmatrix} A_{1,t} & A_{2,t} & \cdots & A_{p-1,t} & A_{p,t} \\ I_k & \mathbf{O} & \cdots & \mathbf{O} & \mathbf{O} \\ \mathbf{O} & I_k & & \vdots & \vdots \\ \vdots & \vdots & \ddots & \vdots & \vdots \\ \mathbf{O} & \mathbf{O} & \cdots & I_k & \mathbf{O} \end{bmatrix}}_{kp \times kp}, \quad \tilde{\mathbf{u}}_t = \underbrace{\begin{bmatrix} \mathbf{u}_t \\ \mathbf{0} \\ \vdots \\ \mathbf{0} \end{bmatrix}}_{kp \times 1},$$

and $(k \times kp)$ matrix $J = [I_k \ \mathbf{O} \ \cdots \ \mathbf{O}]$.

⁵This part greatly owes to the results of Lütkepohl (2005, ch.3. sec.7).

$$\sqrt{T}(\hat{\Psi}_{n,t} - \Psi_{n,t}) \xrightarrow{d} \mathcal{N}(\mathbf{0}, F_{n,t} \Sigma_{\hat{\alpha}_t} F'_{n,t}), \quad s = 1, 2, \dots, \quad t = 1, 2, \dots, T,$$

where

$$F_{n,t} = G_{1,t} + \dots + G_{n,t}.$$

If $(I_k - A_t)$ is nonsingular,

$$\sqrt{T}(\hat{\Psi}_{\infty,t} - \Psi_{\infty,t}) \xrightarrow{d} \mathcal{N}(\mathbf{0}, F_{\infty,t} \Sigma_{\hat{\alpha}_t} F'_{\infty,t}), \quad s = 1, 2, \dots, \quad t = 1, 2, \dots, T,$$

where

$$F_{\infty,t} = \Phi'_{\infty,t} \otimes \Phi_{\infty,t}.$$

$$\sqrt{T}(\hat{\Theta}_{s,t} - \Theta_{s,t}) \xrightarrow{d} \mathcal{N}(\mathbf{0}, C_{s,t} \Sigma_{\hat{\alpha}_t} C'_{s,t} + \bar{C}_{s,t} \Sigma_{\hat{\sigma}} \bar{C}'_{s,t}), \quad s = 1, 2, \dots, \quad t = 1, 2, \dots, T,$$

where

$$C_0 = \mathbf{O}, \quad C_{s,t} = (\Upsilon' \otimes I_k) G_{s,t}, \quad s = 1, 2, \dots,$$

$$\bar{C}_{s,t} = (I_k \otimes \Phi_{s,t}) H, \quad s = 0, 1, 2, \dots,$$

$$H = (I_k \otimes \Sigma_{\mathbf{u}}) \frac{\partial \text{vec}(B(\boldsymbol{\sigma}'))}{\partial \boldsymbol{\sigma}'} + (B'(\boldsymbol{\sigma}') \otimes I_k) \frac{\partial \text{vec}(\Sigma_{\mathbf{u}})}{\partial \boldsymbol{\sigma}'},$$

and

$$B(\boldsymbol{\sigma}) = \begin{pmatrix} \sigma_{11}^{-\frac{1}{2}} & & & \mathbf{0} \\ & \sigma_{11}^{-\frac{1}{2}} & & \\ & & \ddots & \\ \mathbf{0} & & & \sigma_{11}^{-\frac{1}{2}} \end{pmatrix}.$$

$$\sqrt{T}(\hat{\Xi}_{s,t} - \Xi_{s,t}) \xrightarrow{d} \mathcal{N}(\mathbf{0}, B_{n,t} \Sigma_{\hat{\alpha}_t} B'_{n,t} + \bar{B}_{n,t} \Sigma_{\hat{\sigma}} \bar{B}'_{n,t}), \quad s = 1, 2, \dots, \quad t = 1, 2, \dots, T,$$

where

$$B_{n,t} = (\Upsilon' \otimes I_k) F_{n,t}, \quad n = 1, 2, \dots,$$

and

$$\bar{B}_{n,t} = (I_k \otimes \Psi_{n,t}) H, \quad n = 1, 2, \dots.$$

$$\sqrt{T}(\hat{\Xi}_{\infty,t} - \Xi_{\infty,t}) \xrightarrow{d} \mathcal{N}(\mathbf{0}, B_{\infty,t} \Sigma_{\hat{\alpha}_t} B'_{\infty,t} + \bar{B}_{\infty,t} \Sigma_{\hat{\sigma}} \bar{B}'_{\infty,t}),$$

$$s = 1, 2, \dots, \quad t = 1, 2, \dots, T, \quad (\text{A.4})$$

where

$$B_{\infty,t} = (\Upsilon' \otimes I_k) F_{\infty,t}, \quad t = 1, 2, \dots,$$

and

$$\bar{B}_{\infty,t} = (I_k \otimes \Psi_{\infty,t}) H, \quad t = 1, 2, \dots.$$

Proof: With respect to $\hat{\Phi}_{s,t}$, $\hat{\Psi}_{s,t}$ and $\hat{\Psi}_{\infty,t}$, our derivation directly follows the proof of Lütkepohl (2005, ch.3, Proposition 3.6) based on the delta method. Recall that

$$\Upsilon = \Sigma_{\mathbf{u}} \cdot \text{diag} \left(1/\sqrt{\text{diag}(\Sigma_{\mathbf{u}})} \right).$$

The key relation follows from the delta method.

$$\sqrt{T} \text{vec}(\hat{\Theta}_{i,t} - \Theta_{i,t}) \xrightarrow{d} \mathcal{N} \left(\mathbf{0}, \frac{\partial \text{vec}(\Phi_{i,t} \Upsilon)}{\partial \alpha'} \Sigma_{\hat{\alpha}_t} \frac{\partial \text{vec}(\Phi_{i,t} \Upsilon)}{\partial \alpha} + \frac{\partial \text{vec}(\Phi_{i,t} \Upsilon)}{\partial \sigma'} \Sigma_{\hat{\sigma}} \frac{\partial \text{vec}(\Phi_{i,t} \Upsilon)}{\partial \sigma} \right).$$

$$\begin{aligned} \underbrace{\frac{\partial \text{vec}(\Phi_{i,t} \Upsilon)}{\partial \alpha'}}_{\tilde{C}_i} &= (\Upsilon' \otimes I_k) \frac{\partial \text{vec}(\Phi_{i,t})}{\partial \alpha'} \\ &= (\Upsilon' \otimes I_k) \left(\sum_{m=0}^{i-1} J(A')^{i-1-m} \otimes \Phi_{m,t} \right), \end{aligned}$$

$$\begin{aligned} \underbrace{\frac{\partial \text{vec}(\Phi_{i,t} \Upsilon)}{\partial \hat{\sigma}}}_{\tilde{C}_i} &= \frac{\partial}{\partial \sigma'} \left(\Sigma_{\mathbf{u}} \underbrace{\text{diag} (1/\text{diag}(\Sigma_{\mathbf{u}}))}_{B(\sigma)} \right) \\ &= (I_k \otimes \Sigma_{\mathbf{u}}) \frac{\partial \text{vec}(B(\sigma'))}{\partial \sigma'} + (B'(\sigma') \otimes I_k) \frac{\partial \text{vec}(\Sigma_{\mathbf{u}})}{\partial \sigma'}, \quad i = 0, 1, 2, \dots, \\ \sqrt{T} \left(\hat{\Xi}_{n,t} - \Xi_{n,t} \right) &\xrightarrow{d} \mathcal{N} \left(\mathbf{0}, B_{n,t} \Sigma_{\hat{\alpha}_t} B'_{n,t} + \bar{B}_{n,t} \Sigma_{\hat{\sigma}} \bar{B}'_{n,t} \right), \end{aligned}$$

$$\begin{aligned} B_{n,t} &= \frac{\partial \text{vec}(\Psi_{n,t} \Upsilon)}{\partial \alpha'} \\ &= (\Upsilon' \otimes I_k) \frac{\partial \text{vec}(\Psi_{n,t})}{\partial \alpha'} \\ &= (\Upsilon' \otimes I_k) \frac{\partial \text{vec}(\sum_{i=1}^n \Phi_{i,t})}{\partial \alpha'} \\ &= (\Upsilon' \otimes I_k) \sum_{i=1}^n \frac{\partial \text{vec}(\Phi_{i,t})}{\partial \alpha'} \\ &= (\Upsilon' \otimes I_k) \sum_{i=1}^n G_{i,t} \\ &= (\Upsilon' \otimes I_k) F_{n,t}, \end{aligned}$$

where $F_{n,t} = G_{1,t} + G_{2,t} + \dots + G_{n,t}$

$$\begin{aligned} \bar{B}_{n,t} &= \frac{\partial \text{vec}(\Psi_{n,t} \Upsilon)}{\partial \sigma'} \\ &= (I_k \otimes \Psi_{n,t}) \frac{\partial \text{vec}(\Upsilon)}{\partial \sigma'}, \end{aligned}$$

$$\begin{aligned}
\Psi_{\infty,t} &= (I_k - A_{1,t} - \cdots - A_{P,t})^{-1}, \\
\Xi_{\infty,t} &= (I_k - A_{1,t} - \cdots - A_{P,t})^{-1} \Upsilon(\hat{\boldsymbol{\sigma}}), \\
F_{\infty,t} &= \underbrace{(\Psi_{\infty,t}, \dots, \Psi_{\infty,t})}_{P \text{ times}} \otimes \Psi_{\infty,t}, \\
\sqrt{T} \left(\hat{\Xi}_{\infty,t} - \Xi_{\infty,t} \right) &\xrightarrow{d} \mathcal{N} \left(\mathbf{0}, B_{\infty,t} \Sigma_{\hat{\boldsymbol{\alpha}}_t} B'_{\infty,t} + \bar{B}_{\infty,t} \Sigma_{\hat{\boldsymbol{\sigma}}} \bar{B}_{\infty,t} \right),
\end{aligned}$$

where

$$B_{\infty,t} = (\Upsilon' \otimes I_k) F_{\infty,t},$$

and

$$\bar{B}_{\infty,t} = (I_k \otimes \Psi_{\infty,t}) \frac{\partial \text{vec}(\Upsilon)}{\partial \boldsymbol{\sigma}' }.$$

Note that $\Phi_{s,t}$ is independent of $\boldsymbol{\sigma}$. $\square$

References

- Andrews, D. W. K. (1993), “Tests for Parameter Instability and Structural Change With Unknown Change Point,” *Econometrica*, 61, 821–856.
- Blackman, S. C., Holden, K., and Thomas, W. A. (1994), “Long-Term Relationships between International Share Prices,” *Applied Financial Economics*, 4, 297–304.
- Chan, K. C., Gup, B. E., and Pan, M. S. (1992), “An Empirical Analysis of Stock Prices in Major Asian Markets and the United States,” *Financial Review*, 27, 289–307.
- Choudhry, T. (1994), “Stochastic Trends and Stock Prices: an International Inquiry,” *Applied Financial Economics*, 4, 383–390.
- (1997), “Stochastic Trends in Stock Prices: Evidence from Latin American Markets,” *Journal of Macroeconomics*, 19, 285–304.
- Chung, P. J. and Liu, D. J. (1994), “Common Stochastic Trends in Pacific Rim Stock Markets,” *Quarterly Review of Economics and Finance*, 34, 241–259.
- Cogley, T. and Sargent, T. J. (2001), “Evolving Post-World War II U.S. Inflation Dynamics,” *NBER Macroeconomics Annual*, 16, 331–373.
- (2005), “Drifts and Volatilities: Monetary Policies and Outcomes in the Post WWII US,” *Review of Economic Dynamics*, 8, 262–302.
- Corhay, A., Tourani Rad, A., and Urbain, J. P. (1993), “Common Stochastic Trends in European Stock Markets,” *Economics Letters*, 42, 385–390.
- Elliott, G., Rothenberg, T. J., and Stock, J. H. (1996), “Efficient Tests for an Autoregressive Unit Root,” *Econometrica*, 64, 813–836.

- Eun, C. S. and Shim, S. (1989), “International Transmission of Stock Market Movements,” *Journal of Financial and Quantitative Analysis*, 24, 241–256.
- Fama, E. F. (1970), “Efficient Capital Markets: A Review of Theory and Empirical Work,” *Journal of Finance*, 25, 383–417.
- (1991), “Efficient Capital Markets: II,” *Journal of Finance*, 46, 1575–1617.
- Hansen, B. E. (1990), “Lagrange Multiplier Tests for Parameter Instability in Non-linear Models,” University of Rochester.
- (1992), “Testing for Parameter Instability in Linear Models,” *Journal of Policy Modeling*, 14, 517–533.
- Ito, M. and Noda, A. (2012), “The Evolution of Market Efficiency and its Periodicity: A Non-Bayesian Time-Varying Model Approach,” [Preprint: arXiv:1202.0100].
- Ito, M. and Sugiyama, S. (2009), “Measuring the Degree of Time Varying Market Inefficiency,” *Economics Letters*, 103, 62–64.
- Jeon, B. N. and Chiang, T. C. (1991), “A System of Stock Prices in World Stock Exchanges: Common Stochastic Trends for 1975-1990,” *Journal of Economics and Business*, 43, 329–338.
- Jeon, B. N. and Von Furstenberg, G. M. (1990), “Growing International Co-Movement in Stock Price Indexes,” *Quarterly Review of Economics and Business*, 30, 15–30.
- Kasa, K. (1992), “Common Stochastic Trends in International Stock Markets,” *Journal of Monetary Economics*, 29, 95–124.
- Koop, G., Pesaran, M. H., and Potter, S. M. (1996), “Impulse Response Analysis in Nonlinear Multivariate Models,” *Journal of Econometrics*, 74, 119–147.
- Lai, M., Lai, K. S., and Fang, H. (1993), “Dynamic Linkages between the New York and Tokyo Stock Markets: A Vector Error Correction Analysis,” *Journal of International Financial Markets, Institutions and Money*, 3, 73–96.
- Lütkepohl, H. (2005), *New Introduction to Multiple Time Series Analysis*, Springer.
- Mathur, I. and Subrahmanyam, V. (1990), “Interdependencies Among the Nordic and US Stock Markets,” *Scandinavian Journal of Economics*, 92, 587–597.
- Newey, W. K. and West, K. D. (1987), “A Simple, Positive Semi-Definite, Heteroskedasticity and Autocorrelation Consistent Covariance Matrix,” *Econometrica*, 55, 703–708.
- (1994), “Automatic lag Selection in Covariance Matrix Estimation,” *Review of Economic Studies*, 61, 631–653.
- Ng, S. and Perron, P. (2001), “Lag Length Selection and the Construction of Unit Root Tests with Good Size and Power,” *Econometrica*, 69, 1519–1554.

- Nyblom, J. (1989), “Testing for the Constancy of Parameters Over Time,” *Journal of the American Statistical Association*, 84, 223–230.
- Pesaran, M. H. and Shin, Y. (1998), “Generalized Impulse Response Analysis in Linear Multivariate Models,” *Economics Letters*, 58, 17–29.
- Primiceri, G. E. (2005), “Time Varying Structural Vector Autoregressions and Monetary Policy,” *Review of Economic Studies*, 72, 821–852.
- Rothenberg, T. J. (1971), “Identification in Parametric Models,” *Econometrica*, 39, 577–591.
- Schwarz, G. (1978), “Estimating the Dimension of a Model,” *Annals of Statistics*, 6, 461–464.
- Toda, H. Y. and Yamamoto, T. (1995), “Statistical Inference in Vector Autoregressions with Possibly Integrated Processes,” *Journal of Econometrics*, 66, 225–250.
- Tsutsui, Y. and Hirayama, K. (2004), “Appropriate Lag Specification for Daily Responses of International Stock Markets,” *Applied Financial Economics*, 14, 1017–1025.

Figure 1: The Returns on U.S. and Japanese Stock Market





Table 1: Descriptive Statistics and Unit Root Tests

	Mean	SD	Min	Max	ADF-GLS	Lag	$\hat{\phi}$	$\mathcal{N}$
R^{US}	0.0054	0.0360	-0.2280	0.1135	-18.4965	0	0.3366	692
R^{JPN}	0.0046	0.0430	-0.2439	0.1336	-18.8900	0	0.3183	692

Notes:

- (1) “ R^{US} ” denotes the returns for the S&P500 stock index, and “ R^{JPN} ” denotes the returns for the TOPIX stock index.
- (2) “ADF-GLS” denotes the ADF-GLS test statistics, “Lag” denotes the lag order selected by the MBIC, and “ $\hat{\phi}$ ” denotes the coefficients vector in the GLS detrended series (see equation (6) in Ng and Perron (2001)).
- (3) In computing the ADF-GLS test, a model with a time trend and a constant is assumed. The critical value at the 1% significance level for the ADF-GLS test is “-3.42”.
- (4) “ $\mathcal{N}$ ” denotes the number of observations.
- (5) R version 2.15.2 was used to compute the statistics.


Table 2: Preliminary Estimation

	<i>Constant</i>	R_{t-1}^{US}	R_{t-1}^{JPN}	<i>GC</i>	R^2	L_C
R_t^{US}	0.0040 [0.0015]	0.2568 [0.0419]	-0.0200 [0.0327]	3.1823 (0.0747)	0.0586	91.6098
R_t^{JPN}	0.0028 [0.0016]	0.0827 [0.0476]	0.2932 [0.0411]	0.3757 (0.5400)	0.1052	

Notes:

- (1) “ R_{t-1}^{US} ” denotes the lagged returns for the S&P500 stock index at time $t - 1$, and “ R_{t-1}^{JPN} ” denotes the lagged returns for the TOPIX stock index at time $t - 1$.
- (2) “ GC ” denotes the Wald statistics for the Granger causality test. The null hypothesis that U.S. (Japan) do not Granger-cause Japan (U.S.).
- (3) “ $\bar{R}^2$ ” denotes the adjusted R^2 , and “ L_C ” denotes the Hansen’s (1992) joint L statistic with variance.
- (4) Newey and West’s robust standard errors and p -values for the Granger causality test statistics are in brackets and parentheses, respectively.
- (5) R version 2.15.2 was used to compute the estimates and the statistics.


Figure 2: TV-VAR Estimation



Notes:

- (1) The dashed lines represent upper and lower bounds of the time-varying VAR estimates at the 95% intervals for each period.
- (2) The Newey and West's HAC estimator is used for calculating the asymptotic confidence intervals.
- (3) The dotted lines also represent the VAR estimates with whole sample.
- (4) R version 2.15.2 was used to compute the estimates.

Figure 3: Time-Varying Granger Causality Tests



Note:

The dashed line denotes asymptotic critical values at 10% significant levels for the Granger causality test statistics.

Figure 4: Time-Varying Generalized Impulse Response Functions





Figure 5: Time-Varying Long-Run Multipliers



Notes:

- (1) The dashed lines represent upper and lower bounds of the time-varying long-run multipliers at the 95% confidence intervals for each period by using the delta method.
- (2) R version 2.15.2 was used to compute the estimates.

Table 3: Dates for Market Crashes, Economic Crises, and Bubbles

Events	Start Dates	End Dates
<i>Market Crashes</i>		
Black Monday	1987:10	-
Bankruptcy of Lehman Brothers	2008:10	-
<i>Economic Crises</i>		
1973 Oil Crisis	1973:10	-
1979 Oil Crisis	1979:01	-
Asia Financial Crisis	1997:07	-
<i>Bubbles</i>		
U.S. Booming 1980s	1982:12	1990:07
Japanese Asset Price	1986:12	1991:02
Dot-com	1995:08	2000:03
U.S. Housing	2001:04	2007:10

Notes:

- (1) The end dates for market crashes, and economic crises are unspecified because of no consensus.
- (2) The dates for bubbles in U.S. basically follow *the NBER business cycle report* (<http://www.nber.org/cycles.html>).
- (3) The dates for bubbles in Japan basically follow *the index of business condition* by the Cabinet Office, Government of Japan (<http://www.esri.cao.go.jp/en/stat/di/di-e.html>).